

Tennant 6100 subcompact rider sweeper

Referencia: 6100



Description

Tennant 6100, a subcompact cordless sweeper

The Tennant 6100 sweeper operates virtually uninterrupted on a variety of surfaces, thanks to quality engineering and battery power. This machine increases productivity due to single-pass cleaning and easy manoeuvrability, which allows passage through narrow spaces.

The 6100 is always on, enabled by the hydraulic oil system, robust steel frame and tool-free brush changes, thus increasing the machine's availability.

This cordless sweeper is highly versatile, as it can clean a wide variety of surfaces from finished floors to concrete floors and even carpets. Cleaning time and airborne dust are reduced due to

Tennant's patented VCS® filter shaker system.

Operators can manoeuvre with confidence as the Tennant 6100 sweeper has excellent viewing angles and easy controls. The easy-slide debris hopper features a built-in handle and large wheels for quick removal.

Tennant 6100, main features and benefits

- The Tennant 6100 ride-on sweeper is battery operated, has excellent manoeuvrability and is quiet:
- For cleaning difficult surfaces and carpets with the same machine.
- Cleans and traps debris and dust efficiently and quietly.
- Great visibility enables operators to manoeuvre with confidence in standard-size entrances and tight spaces.
- Downtime is minimised during maintenance as no tools are needed to change a filter or brush.
- The Auto Adjust™ sweeping system adapts the the hopper's loading action and maintains maximum sweeping performance for the life of the brush.
- The easy-slide hopper has large wheels and a handle for easy movement to and from work areas.
- Cleaning reach can be extended in confined spaces using the suction tube.
- More can be cleaned in less time thanks to the double-sided brushes.
- The dry mop cleaning width has been enlarged to 5.5 ft/1.7 m with Quick Mop™, which can clean up to 93,000 square metres with just one battery charge.

Technical sheet

Model	6100
Country	SPAIN
Width	810 mm
Weight	281 kg
Ordering	281