





Manipulador telescópico frontal TH TH 4.5.19 P

Referencia: TH 4.5 19 P

Description

The Fixed Telescopic Handler Magni TH 4.5.19 P is a high-performance machine that combines strength, versatility and precision in an exceptionally built design. Designed to meet the most demanding challenges in a variety of applications, from construction to agriculture and industry, this equipment stands out for its ability to reach impressive heights and distances.

With a maximum load capacity of 4,500 kg and a maximum lift height of 19 meters, the TH 4.5.19 P offers exceptional capacity to handle heavy loads and reach considerable heights. Its telescopic boom allows it to access hard-to-reach places, making it an ideal choice for work at height and applications requiring high lifting capacity.

The performance of this machine is outstanding. Equipped with a powerful and efficient engine, the Fixed Telehandler Magni offers quick response and maneuverability, making it easy to perform tasks with efficiency and precision. Its robust and durable design ensures consistent performance in the most demanding working conditions.





Safety is a top priority in the design of Magni. The TH 4.5.19 P has advanced safety features, such as effective braking systems, intuitive controls and a spacious, ergonomic cab that provides optimal visibility for the operator. This ensures protection of both the operator and the load being handled, even in challenging work situations.

Ease of maintenance is another significant advantage of this machine. Access to key components has been simplified, reducing downtime and minimizing service costs over time.

The Magni TH 4,5.19 P Fixed Telescopic Handler is the ultimate choice for those looking for power, versatility and safety in their lifting and load handling operations. With its impressive load capacity, substantial lift height and reliable design, this handler is a solid investment for improving efficiency and productivity in a variety of industrial and construction environments. Trust Magni to reach new heights in your daily work.





Technical sheet

Engine type	Deutz TCD 3,6 L4 Stage V
Length	6400 mm
Width	2530 mm
Weight	12800 kg
Load capacity	4500 kg
Height Elevation	19 m
Maximum range	14.2 m
Motor Power (KW)	74.40 kW (101.20 hp) at 2,200 rpm
Stabilizers	Pivoting
Load capacity at maximum height	3000 kg
Ground clearance	410 mm
No. of gears	44959
Hydraulic system	350 bar (Load Sensing)
Travel speed	35 km/h
Climate control as standard	Yes
Automatic recognition of accessories	Yes