





Hyster P3.0 heavyduty pedestrian electric pallet jack

Referencia: P3.0



Description

This range of pedestrian pallet jacks has powerful motor speeds and quick response, ensuring that operators can continue to work intensively in demanding applications, with a long battery life and the high performance manoeuvrability of Hyster handlers.

The Hyster P3.0 is a robust pedestrian pallet jack and is designed for intensive pallet transport and for loading and unloading vehicles working indoors.

Features of the Hyster P3.0 heavy-duty pedestrian pallet jack

gam[®]Online



- The powerful SEM traction motor provides this P3.0 pedestrian electric pallet jack with superior performance so that it can move a greater number of loads per hour.
- It has a highly durable chassis, with built-in forks to maintain the pallet jack's high rigidity, which enables this electric pallet jack to handle heavy loads over long distances. Its heavyduty tandem load wheels provide great stability, making it the most suitable electric pallet jack for heavy loads on uneven surfaces.
- This Hyster P3.0 pedestrian pallet jack features a battery compartment with a reinforced bumper section that protects the pallet jack against collision.
- The power of this P3.0 pallet jack is transmitted through helical gears positioned in an oil bath to reduce wear from normal use of the components.
- The adjustable performance settings of Hyster manual handlers enable the P3.0 electric pallet jack to be configured according to the driver and intensity of the application.
- The regenerative braking on this Hyster pedestrian pallet jack increases braking efficiency and reduces maintenance costs.
- It has an on-board diagnostic screen that provides quick notification of maintenance requirements.
- $\circ\,$ Its operating costs are minimised with recommended service intervals of 1000 hours.





Technical sheet

Model	P3.0
Engine type	Electric
Lift Height (Industry)	120 mm
Country	SPAIN
Battery Capacity	24V / 210-300Ah(V/Ah)
Load capacity	3000 kg
Motorisation	Electric
Ordering	3000