



DAB28RT

Referencia: DAB28RT

Description

This equipment is equipped with Stage V engine, thanks to which we can reach the most inaccessible areas as it can easily overcome any obstacle

This articulated platform has a low center of gravity to provide a perfect overall stability to the whole machine

The tilting control panel is located at a height that facilitates maneuvering from the ground and so that the platform can move on conveyors in complete safety

The new design of this equipment offers unparalleled lifting performance, responding to the growing market demand for a combination of reach and height. This ensures easy maintenance of the engine compartment as well as other components

Features of the diesel articulated aerial work platform Magni DAB28RT

- Four-wheel drive and steer
- Oscillating front axle for greater stability on all types of terrain
- Differential lock
- Power socket on platform
- Designed for driving in wind speeds of up to 12.5 m/s
- Integrated diagnostic display with CAN-BUS technology
- Large number of components in common across the range
- Foam-filled tires

Access to the basket is really easy as it has two sliding bars, designed for easy entry and exit even with safety equipment

The platform is also fitted with safety bars equipped with pressure sensors that immediately lock the machine in the event of a collision

Among the safety devices installed, we can find the joystick and the dead man's switch pedal, as well as four anchorage points for the safety harness, which represent additional safety measures for the operator while working with the equipment

Standard equipment

- 360° rotation
- Four-wheel drive
- CAN bus
- Oscillating axle
- Wide opening for easy maintenance
- Horn
- Hour meter
- Proportional controls
- Intermittent lamp
- Anti-fingerprint tires
- Electric safety pump
- Emergency stop button
- Motion alarm sensors
- Emergency lowering system
- On-board diagnostic system
- Maximum allowable displacement at maximum height
- Hydraulic platform rotation
- 4 steering wheels

Technical sheet

Model	DAB28RT
Load capacity	250 kg
Height Elevation	28 m
Motorisation	Diesel
Ordering	28