







RTH 6.35 rotating telescopic handler

Referencia: RTH 6.35



Description

It has scissor stabilisers, making it ideal for working in confined spaces where the machine is programmed to ensure the best load diagram on each of its sides, even partially stabilised. With the stabilisers fully extended, the machine offers maximum performance at 360°.

Includes a Mercedes OM 934 LA Phase IV 203CV motor. It has 360° rotation. With a 100% pressurised cabin that facilitates the operator's vision, it includes an easy-to-use multifunction screen. It has automatic accessory detection through the RFID system, which creates the corresponding load diagrams. The accessories are interchangeable throughout the range.

The RTH 6.35 SH handlers includes

- 360° rotation
- 3-in-1 Handler that can adapt as a crane, forklift and basket
- Registered design cabin
- FOPS/ROPS certification
- MCTS system: Touch screen with diagnostics
- 100% air filtration.
- Standard heating and air conditioning

- Cup holder
- RFID accessory recognition system
- Four wheel drive
- Automatic levelling
- Electrical system in CAN Bus
- Optimal lifting performance

Technical sheet

Engine type	Volvo TAD 583 VE - Stage V
Length	8090 mm
Width	2540 mm
Weight	24000 kg
Load capacity	6000 kg
Height Elevation	35 m
Maximum range	27 m
Motor Power (KW)	75 kW (238 hp) at 2,300 rpm
Stabilizers	in Scissors
Load capacity at maximum height	3000 kg
Ground clearance	310 mm
No. of gears	44959
Hydraulic system	350 bar
Travel speed	40 km/h
Rotation	360° (continued)
Climate control as standard	Yes
Automatic recognition of accessories	Yes
Ordering	6000