



Fixed telescopic handler TH5,5.15

Referencia: TH5.5-15

Description

The Magni fixed telehandler, within the TH range, is ideal for jobs in the construction and industrial sectors as it is extremely versatile. Unlike its competitors, the Italian manufacturer has developed light handlers with compact dimensions but with unique performance: greater heights and load capacities to be able to opt for a greater number of applications without the need to invest in additional machinery.

This TH5,5.15 model offers a load capacity of 5,500 Kg and a lifting height of 15 meters, optimizing the dimensions of the equipment. It includes a 55 kW Deutz engine to increase performance and reaches 14.80 meters safely even on uneven terrain thanks to its stabilizers and automatic leveling.

Magni manipulators include a wide range of interchangeable attachments that, thanks to the automatic recognition system, are detected by the manipulator allowing it to display and update load diagrams immediately.

- Low center of gravity design for added stability
- Available with Deutz Stage V / Stage IV final / Stage IIIA engines
- Pivoting stabilizers included in the standard equipment
- 350 bar L / S hydraulic system
- GPS to be MyMagni
- Design cabin registered under FOPS / ROPS certification
- 100% air filtration
- 4 wheel drive
- CAN Bus

- Hydraulic system

Technical sheet

Model	TH 5,5.15
Motor brand	Deutz
Engine type	Diesel
Brand	MAGNI
Country	SPAIN
Length	6390 mm
Width	2530 mm
Weight	13500 kg
Load capacity	5500 kg
Height Elevation	15 m
Maximum Load	5500 kg
Motor Power (KW)	55
Engine Power (hp)	75
Side Reach	10,40 m
CE mark	Yes
Fuel	Diesel
4-Wheel Drive	Yes
Ordering	5500