



Front telescopic handler HTH 27.11

Referencia: HTH 27.11

Description

It has four drive wheels, three types of steering and ample ground clearance, ensuring great manoeuvrability on any type of terrain.

It includes a Mercedes OM 934 LA Phase IV 175 hp motor, a 100% pressurised cabin that facilitates the operator's vision and an easy-to-use multifunction screen. It has automatic accessory detection through the RFID system, which creates the corresponding load diagrams. The accessories are interchangeable throughout the range.

HTH 27.11 heavy duty frontal handler's equipment includes

- Registered design cabin
- FOPS/ROPS certification
- MCTS system: Touch screen with diagnostics
- 100% air filtration.
- Standard heating and air conditioning
- Cup holder
- RFID accessory recognition system
- Four wheel drive
- Automatic levelling
- Electrical system in CAN Bus
- Optimal lifting performance
- Gradeability 34°/58°

Technical sheet

Engine type	Volvo TAD 583 VE - Stage V
Length	7550 mm
Width	2980 mm
Weight	35500 kg
Load capacity	27000 kg
Height Elevation	11 m
Maximum range	6.6 m
Motor Power (KW)	175 kW (238 hp) at 2,300 rpm
Maximum elevation height	10.85 m
Load capacity at maximum height	14500 kg
Ground clearance	530 mm
No. of gears	44959
Hydraulic system	350 bar (Load Sensing)
Travel speed	25 km/h
Climate control as standard	Yes
Automatic recognition of accessories	Yes