





# HTH 35.12 front telescopic handler

Referencia: HTH 35.12





### Description

The Magni HTH 35.12 Front Telehandler is an exceptionally versatile and powerful machine designed to meet a wide variety of load handling and overhead challenges. With a maximum load capacity of 3,500 kg and a maximum lift height of 12 meters, this telehandler offers exceptional performance in industrial, construction and logistics environments.

#### **Outstanding Performance:**

The HTH 35.12 is distinguished by its outstanding performance. It is equipped with a powerful and efficient engine that provides fast response and high maneuverability. This allows the machine to adapt to a variety of tasks, from loading and unloading goods in warehouses to lifting materials on large construction projects. Its versatility makes it an all-in-one solution for cargo handling.

#### Comprehensive safety:





Safety is a top priority in the design of Magni. The HTH 35.12 incorporates advanced safety features, including effective braking systems and intuitive controls that ensure the protection of both the operator and the load being handled. The spacious, ergonomic cab provides optimal visibility, minimizing risks and creating a safe working environment.

#### **Durability and Reliability:**

Durability is a hallmark of Magni equipment, and the HTH 35.12 is no exception. Its rugged construction and use of high-quality materials ensure a long service life and reliable performance in demanding working conditions. This machine is designed to withstand daily wear and tear and maintain consistent performance over time.

#### **Simplified Maintenance:**

Access to key components has been simplified, reducing downtime and minimizing service costs. This means your operation can run efficiently without long periods of downtime due to maintenance.

#### **Optimize Your Workplace:**

The Magni HTH 35.12 Front Telescopic Handler is the ideal choice for those looking for power, versatility and safety in their load handling and overhead operations. With its impressive load capacity, substantial lift height and reliable design, this handler is a solid investment for improving efficiency and productivity in a variety of industrial and construction environments. Trust Magni to take your operations to the next level and optimize your jobsite with this exceptional machine.





## Technical sheet

Model	HTH 35.12
Model	Π I Π 33.IZ
Engine type	Volvo TAD 884VE - Stage V
Brand	MAGNI
Length	7950 mm
Width	3000 mm
Weight	45000 kg
Load capacity	35000 kg
Height Elevation	12 m
Maximum range	6.9 m
Motor Power (KW)	250 kW (340 hp) at 2,200 rpm
Load capacity at maximum height	18000 kg
Ground clearance	550 mm
No. of gears	44959
Hydraulic system	350 bar (Load Sensing)
Travel speed	25 km/h
Climate control as standard	Yes
Automatic recognition of accessories	Yes
Ordering	35000